

Altogether Archaeology

Gueswick Hills, Teesdale Fluxgate Gradiometer Surveys

Part 1: June 23rd 2019

Part 2: May 11th 2022



Contents

Copyright & Acknowledgments Part 1	3
Copyright.....	3
Editors	3
Images and Maps	3
Acknowledgements Part 1	3
Land Access	3
Website	4
Cover Image	4
Part 1 2019 Survey	5
Introduction	5
Survey Sites	7
Sites A, B & C Lidar	8
Site A	8
Site C	9
Site D	10
Methodology.....	11
Introduction	11
Instruments.....	11
Data Processing.....	11
Site Results 2019.....	12
Site A	12
Site B	13
Site C	14
Site D	15
Sites A & C Magnetometry and Lidar	16
Interpretive Maps 2019	18
Site A	18
Site B	19
Site C	20
Site D	21
Interpretation: Anomaly Types	22
Conclusions Part 1 2019.....	22
Site A	22
Site B	22
Site C	22
Site D	23

Summary	23
Part 2.....	25
The 2022 Survey.....	25
Introduction	25
Survey Area Sites: A & C.....	26
Magnetometry Results 2022.....	26
Site A Magnetometry 2022.....	26
Site C Magnetometry 2022	26
Copyright.....	30
Editors	30
Contributors.....	30
Lidar and Aerial Images.....	30
Acknowledgements Part 2	31
Land Access	31
Sources.....	31

Copyright & Acknowledgments Part 1

Copyright

This document ©Altogether Archaeology 2019, may be shared and used for non-commercial purposes with appropriate credits and indication of changes. For Commercial use please contact Altogether Archaeology via <https://altogetherarchaeology.org/>

Editors

Stephen Eastmead, Martin Green and Rob Pearson.

Images and Maps

Should be credited to Stephen Eastmead.

Google Earth Image © Google 2018

Acknowledgements Part 1

Swaledale and Arkengarthdale Archaeology Group for their generous use of their GPS and Bartington equipment, and to Mike Keenan and Mike Walton for their enthusiasm, time and assistance. <https://swaag.org/index.php#>

Ordnance Survey:

- 1 <https://www.ordnancesurvey.co.uk/opendatadownload/products.html>
- 2 <https://www.ordnancesurvey.co.uk/gps/os-net-rinex-data/>

Environment Agency Data <https://environment.data.gov.uk/DefraDataDownload/?Mode=survey>

Land Access

Whilst there are public footpaths nearby, there is no public access to the survey area.


Website

<https://altogetherarchaeology.org/>

Cover Image

Cover Image: Gueswick Hills (NZ 0036 2104) looking east at the survey area.

The cover image is also shown right with the four magnetometry sites indicated.



Part 1 2019 Survey

Introduction

An Altogether Archaeology member suggested looking at this Gueswick Hills site as a survey area which may have potential for further archaeological examination. With the landowner's permission Altogether Archaeology walked over the site in early 2019.




Figure 1: Gueswick Hills are located mid-way between Cotherstone and Romaldkirk near Barnard Castle, County Durham. Prior to the 1974 boundary changes this site was in North Yorkshire

The predominant archaeological evidence is the extensive rig and furrow ploughing and a significant number of cultivation terraces. Gueswick Hills are one of a series of glacial terminal moraines found across the River Tees valley. The soil is very sandy with no watercourses. The nearest watercourse, Wilden Beck, is at an elevation between 170 m – 180 m whereas the study area is between 210 m – 223 m. The River Tees is around 160 m – 170 m above mean sea level. Not surprisingly, there is no obvious evidence of settlement. However, as Gueswick Hills form a significantly raised promontory above the surrounding landscape (Figure 2), it must be a reasonable candidate to find some indications of prehistoric activity being present. There is a cairn beside Site B (Figure 5) and a single




Figure 3: Gueswick Hills map showing field boundaries (black) and four magnetometer sites (red)

earth-fast stone that has been reported as having been carved with 'Rock Art', which is not very convincing. The County Durham HER does not contain any records on the top of Gueswick Hills



Figure 2: Gueswick Hills Promontory

inside the survey area. But at the western end in an adjacent field, there is a medieval stone cross base built into a drystone wall next to a public footpath stile, situated on the north side of the B6277 Cotherstone to Romaldkirk road. It was one of two surviving cross-bases on the old route from Cotherstone to Romaldkirk church, along which bodies were carried for burial.

The conclusion of the walk-over survey was to select four areas on top of the promontory to examine using a Fluxgate Gradiometer to measure the soils magnetic susceptibility within those four areas. The four sites are outlined in red on Figure 3.

Survey Sites

The three-dimensional form of the Gueswick Hills promontory and its relationship with the surrounding landscape are best seen in the lidar image (Figure 4).




Figure 4: Gueswick Hills Lidar

The four sites chosen for magnetometry were identified as A, B, C & D as shown in Figure 5.




Figure 5: Magnetometry Sites A, B, C & D

Sites A, B & C Lidar




Figure 6: Lidar image for Sites A, B & C

Site A



Figure 7: Site A next to wire fence

Site A was selected because it contained the only area of significant earthworks, which are of irregular shape. The black lines on Figure 6 are modern wire fence-lines. Whilst the outer field boundaries were of dry-stone wall construction for the most part, the inner fences close to the three sites A, B & C were all wire. Between the wire fence separating Site A from Site C and Site C, is a grassed over foundation of a dry-stone wall, which makes a 90° turn south crossing over the terracing towards the bottom of the lidar

image. The Site A survey grid measures 30 m x 60 m and was sited a respectful distance away from the wire fence.

Site B



Figure 8: Site B next to the cairn by the wire fence

Site B is a 30 m x 30 m grid. Figure 6 shows a small purple asterisk just beside the grid's eastern most corner which marks the centre of the cairn. The cairn can be seen in Figure 8 just beyond the corner of the wire fence.

The grid couldn't be placed either further north or east due to the presence of metal gates, an animal pen and wire fences.

Site C



Figure 9: Site C in the foreground. The River Tees is in the valley amongst the trees on the right

The Site C grid measured 90 m x 30 m. The placement leaves a gap between the western fence-line and the western end of the grid C (Figure 6). This was due to that area being used to bury farm animals in the past when that was a permitted practice. The oval area on the lidar may well be the location of the pit.

In addition, somewhere around that area a farm building has been demolished. It is possible that the western

end of the grid may still be on top of that building. The circles on the Site C image (Figure 9) are from the use of Round Bale Ring Feeders used to feed cows their winter hay/silage.

Site D

Site D is a 10 m x 10 m grid located on the eastern promontory headland (Figures 10 & 11).




Figure 10: Site D Lidar



Figure 11: Site D

The 10 m x 10 m grid normally has limited value but due to the sharp drop-off on 3 sides that was the best that could be done. Its function was just to see if there was any sign of archaeological use of this prominent geological feature.

Methodology

Introduction

A Fluxgate Magnetometer is used to determine the how magnetic the topsoil layers are. This technique relies on topsoil containing different amounts of various iron oxides, which become magnetised in the earth's magnetic field (magnetic susceptibility).

There are many forms of iron oxide [https://en.wikipedia.org/wiki/Iron_oxide]. Different forms of iron oxide can be magnetised to varying degrees. Conversion of a weakly magnetised form to a stronger magnetic form can occur by both heat (thermoremanence) and by various bacterial fermentation processes that can occur when the soil conditions are right. The common example often quoted is when oxygen is excluded and the resulting reducing conditions lead to a conversion of the soil's weakly magnetically susceptible haematite ($\alpha\text{-Fe}_2\text{O}_3$), to magnetite (Fe_3O_4), with a strong increase in magnetic susceptibility.

This technique relies on topsoil types being naturally more magnetic than subsoils. For example, if a ditch is excavated down into the subsoil and then over a period it naturally fills with more magnetically susceptible topsoil sediments, and / or a greater topsoil depth. Then the Fluxgate Gradiometer will detect a higher reading when it crosses over the ditch compared with the ground on either side of the ditch.

Human habitation can enhance magnetic susceptibility by creating open fires, ovens, furnaces or by burying waste in middens which can become an anaerobic fermentation site as they 'compost' the waste.

The Fluxgate Magnetometer (Bartington 601-2) has a pair of Fluxgate detection tubes 1 metre apart. Each tube has two sensors, one at the bottom of the tube and the second at the top. The top sensor measures the Earth's magnetic field whilst the lower sensor measures both the earth's magnetic field strength and that of the soil. The topsoil's reading can then be obtained by subtraction of the top sensor's reading from the bottom sensor's reading. The magnetic field is measured in nanotesla units (nT).

Instruments

- ProMark 120 GPS using 1-minute Rinex OS-Net correction data. #
- Bartington 601-2 Gradiometer. #

Data Processing

- Spectra Precision Survey Office #
- TerraSurveyor #
- QGIS
- GPS Utility
- DrawPlus

Swaledale and Arkengarthdale Archaeology Group equipment (<http://swaag.org>).

Site Results 2019

Site A




Figure 12: Site A Greyscale Image




Figure 13: Site A Greyscale with High (red) and Low (blue) readings highlighted

Site B




Figure 14: Site B Greyscale Image






Figure 15: Site B Greyscale with High (red) and Low (blue) readings highlighted

Site C



Site D




Figure 18: Site D Greyscale Image




Figure 19: Site D Greyscale with High (red) & Low (blue) readings highlighted

Sites A & C Magnetometry and Lidar




Figure 20: Sites A & C Magnetometry

Page 16 of 31




Figure 21: Sites A & C Position on Lidar




Figure 22: Sites A & C Magnetometry on Lidar

Interpretive Maps 2019

Site A




Figure 23: Site A - Interpretive Images

Site B






Figure 24: Site B – Interpretive Images

Site C




Figure 25: Site C – Interpretive Images

Site D




Figure 26: Site D – Interpretive Images

Interpretation: Anomaly Types

Three general types of geomagnetic anomalies:

- Positive magnetic regions of anomalously high or positive magnetic field gradient, which may be associated with high magnetic susceptibility soil-filled structures such as pits and ditches.
- Negative magnetic regions of anomalously low or negative magnetic field gradient, which may correspond to features of low magnetic susceptibility such as wall footings and other concentrations of sedimentary rock or voids.
- Dipolar magnetic paired positive-negative magnetic anomalies, which typically reflect ferrous or fired materials (including fences and service pipes) and/or fired structures such as kilns or hearths.

Anomalies can arise from geological processes as well as human activity. Geological anomalies tend to be broader and less well defined than those caused by human activity. The signal strength measured will not only be dependent on its magnetic susceptibility in the Earth's magnetic field, but on its depth in the soil. Whilst most ditches and pits give a positive magnetic field gradient, there is no reason why they could not have been filled with low magnetically susceptible soils.

Conclusions Part 1 2019

Site A

Site A was a 30 m x 60 m grid. The lidar image (Figure 6) shows an irregular earthwork towards the eastern half of the grid, with a suggestion of a small rectangular feature near its centre. The southern length marking the plateau of a series of south facing terraces. The north west corner shows a slightly elevated feature that appears to run NNE extending through Site C. This raised feature predates both the wire fence and the earlier dry-stone wall foundation, and possibly the rig and furrow ploughing too.

The most intense magnetic anomaly follows the top of the plateau and then turns northwards toward the NE corner of the grid. This north-eastwards section looks like a ditch on the lidar which would be consistent with this type of magnetic anomaly. This anomaly appears to extend through into the SE corner of Site C before continuing westwards in Site C as it weakens in intensity.

There are four weak positive anomalies that traverse the grid in broadly in an east west direction. Two of these anomalies pass through the SW corner of the intense anomaly described above. This appears to be potentially a complex area.

Site B

Site B was a single 30 m x 30 m grid sited close to the cairn. A farm animal pen next to the north-east corner of the grid caused magnetic interference to that area (Figure 24).

There is a suggestion of a 'C' shaped feature towards the south-east corner of the grid together with a scatter of small high readings.

The lidar image doesn't show any archaeological features (Figure 6).

Site C

Site C was a single 30 m x 90 m grid situated just north of Site A. The lidar (Figure 6) shows not only that features extend from Site A into Site C but also beyond Site C to the north. As described in Site A, an intense positive anomaly extends from Site A northwards into the SE corner of Site C where it makes a left-hand turn NW extending beyond the northern boundary of the grid. There is a second slightly more intense magnetic anomaly running nearly parallel and slightly south of the previously described anomaly. This anomaly also extends beyond the northern grid boundary.

There is a weak positive magnetic anomaly running from the centre of the northern edge of Site C south-westwards. If it extended through to the area immediately to the west of Site A, then it may be the return ditch completing the main feature as a rhomboidal enclosure.

At the western end of Site C are further areas of moderately intense positive anomalies. A building was apparently demolished somewhere in the corner of this field. However, the only Ordnance Survey map that shows buildings in this area is shown in Figure 27 below. The main building on the




Figure 27: OS 1940-1953 Survey Map (above) Inset map (below) Main Dig Site

map appears to be located over the cairn (very unlikely), and a second structure of narrow appearance, appears to be in Site A's field and not in Site C's field.

Site D

Site D was a single 10 m x 10 m grid located on the small headland. No significant features were detected (Figure 26). The lidar image also doesn't show any archaeological features (Figure 10).

Summary

Both Site A and Site C grids appear to contain quite complex archaeological anomalies which are likely to be of a multi-period nature. Some features appear in both the lidar and magnetometry images. They appear to be worthy of further archaeological investigation.

Intentionally Blank

Part 2

The 2022 Survey

Introduction

In the autumn of 2019, an evaluation excavation was completed between October 28th and November 3rd, based on the magnetometry survey detailed in Part 1 of this document. The report is available here: <https://altogetherarchaeology.org/reports.php>. In short, the 2019 Gueswick excavation established that the site appeared to be of Iron-Age/Romano-British (IA/RB) period with few medieval finds (fewer than the IA/RB finds), calling into question whether there was medieval use of the site. A return to the site for further excavation was clearly justified.

Unfortunately, in 2020 the Covid-19 pandemic regulations did not allow any community archaeology excavations. However, in 2021 Altogether Archaeology completed a three-week excavation between August 1st and August 22nd. The report on this excavation is also available on the above link. There were some significant findings which led to extending the 2019 magnetometry survey in preparation for the 2022 excavation scheduled between August 8th and August 28th 2022.

Mike Walton and Mike Keenan from the Swaledale and Arkengarthdale Archaeology Group (SWAAG <https://swaag.org/index.php>) were able to extend the magnetic survey of Sites: A & C.




Figure 28: Gueswick Hill Magnetometry Extents

Survey Area Sites: A & C

With reference to Figure 28 (above), the 2019 magnetic survey consisted of two 30m x 30m grids at Site A (orange) and three 30m x 30m grids at Site C (orange).

In 2022 Site A could not be extended to the west using a 30m wide grid due to the relatively steep terracing situated immediately to the south. Two 20m x 20m grids (grey) were used. Site C was extended by five 30m x 30m (grey) grids in a 'L' shape around the west and north sides of the 2019 Site C survey.

Magnetometry Results 2022

The field boundary in-between Sites A and C is a barbed wire fence. To the north of the barbed wire fence and parallel to it, is an old dry-stone wall foundation about five metres beyond the fence-line (see Figure 35 below).

Site A Magnetometry 2022

The extension of two 20m x 20m grids to the west of the 2019 magnetometry (Figure 29), shows the large enclosure ditch found in the 2019 excavation continues westwards before bending to the north-west towards the south-west corner of Site C. Combining the 2019 and 2022 magnetometry images (Figure 30), shows the southern extent of the main enclosure ditch with both eastern and western ends turning north towards Site C. There appears to be an entrance across the enclosure ditch at the south-eastern corner.

Figure 30 also shows an anomaly running west to east outside the southern boundary to the large enclosure ditch. This is coincident with the start of the relatively steep terracing, see the Lidar image at Figure 6 on page 8.

Site C Magnetometry 2022

The 2022 Site C magnetometry shows a continuation of the main enclosure northwards (Figure 31).

The complexity becomes more apparent when the 2022 magnetic data is merged with the 2019 data (Figure 32), and all Site A data (Figures 33 and 34). Figure 34 is the same greyscale image as Figure 33, with the extreme high values indicated in red and the extreme low values in blue.

The most unusual feature is the nature of the large enclosure ditch which appears to be made of a succession of similar length straight sections joined together by approximately 110–130-degree bends.

The straight section of the enclosure ditch in the North-East segment appears to be a double ditch. To the north of the double ditch appears an earlier curving prehistoric ditch. This curving ditch could well have been a section of an earlier enclosure as there are hints of it probably curving southwards inside the main enclosure ditch.

The 2021 Site A excavation did not reveal any habitation, but the Site C magnetic anomalies within the main enclosure ditch are quite encouraging for the 2022 excavation, when possible round house locations will be targeted.




Figure 29: Site A 2022 Magnetometry

Gueswick Hills Site A - Magnetometry 2019-22




Figure 30: Site A 2019-22 Magnetometry




Figure 31: Site C 2022 Magnetometry




Figure 32: Site C 2019-2022 Magnetometry




Figure 33: Gueswick Hills Magnetometry




Figure 34: Gueswick Hills Magnetometry - 2022




Figure 35: Sites A & C Aerial Image

Copyright

This document ©Altogether Archaeology 2022, may be shared and used for non-commercial purposes with appropriate credits and indication of changes. For Commercial use please contact Altogether Archaeology via <https://altogetherarchaeology.org/>

Editors

Stephen Eastmead,

Contributors

Martin Green and Rob Pearson.

Lidar and Aerial Images

Should be credited to Stephen Eastmead.

Google Earth Image © Google 2018

Acknowledgements Part 2

Altogether Archaeology wishes to thank Alison and Stephen Lamb, farmers of Doe Park, for their interest and assistance.

Swaledale and Arkengarthdale Archaeology Group for their generous use of their Bartington equipment, and to Mike Keenan and Mike Walton for their enthusiasm, time and assistance.

<https://swaag.org/index.php#>

Ordnance Survey:

- 1 <https://www.ordnancesurvey.co.uk/opendatadownload/products.html>
- 2 <https://www.ordnancesurvey.co.uk/gps/os-net-rinex-data/>

Environment Agency Data <https://environment.data.gov.uk/DefraDataDownload/?Mode=survey>

Land Access

Whilst there are public footpaths nearby, there is no public access to the survey area.

Sources

- ❖ Gaffney, C, & Gater, J, 2003 Revealing the Buried Past, Tempus.
- ❖ Clark, A, 1990, Seeing Beneath the Soil, Batsford Book.
- ❖ Eastmead, S, Use of QGIS Graphical Information System in Basic Field Archaeology and Lidar Processing (pdf download), <https://www.eastmead.com/QGIS-LIDAR.htm>